



# City of Westbrook

## Code Enforcement

2 York Street

Westbrook, Maine 04092 (207) 854-0638

Fax: 1-866-559-0642

## Demolition of a Structure Submission Checklist

A permit is required for the demolition of any structure. Permit for interior demolition should be combined with the permit for proposed interior construction (see Submission Requirements for One- and Two-Family Additions and Alterations or Commercial interior Alterations, as appropriate).

All applications for demolition of a structure shall include the following:

(Unless determined to be not applicable by Code Office)

Y N/A

- Demolition of a Structure Submission Checklist** (this form)
- General Building Permit Application**
- Completion of the Demolition Call List** (see attached)
- Copies of written notices to property owners of all abutting lots** (see Tax Assessors office for name and address of owner of record)
- A photo of the structure to be demolished**
- A plot plan or site plan** of the property showing the shape and dimension of the lot, footprint of all existing structures and structure(s) to be demolished including distance from property lines and the location and dimension of all parking areas and driveways
- Certification from an asbestos abatement company**, if required (See attached information regarding asbestos demolition.)
- Demolition Sewer and Drain Permit** from the City of Westbrook Department of Public Services

Work may not commence until the permit is issued by the City.



# City of Westbrook

## Code Enforcement

2 York Street Westbrook, Maine 04092 (207) 854-0638 Fax: 1-866-559-0642

### Demolition Call List & Requirements

Owner: \_\_\_\_\_

Site Address: \_\_\_\_\_ Address: \_\_\_\_\_

Telephone: \_\_\_\_\_

E-Mail: \_\_\_\_\_

Structure Type: \_\_\_\_\_

Contractor: \_\_\_\_\_

Address: \_\_\_\_\_

Telephone: \_\_\_\_\_

E-Mail: \_\_\_\_\_

Utility Approvals	Phone #	Contact Name	Date of Contact
Central Maine Power	1-800-750-4000	_____	_____
Unitil	207- 541-2502	_____	_____
Portland Water District	207-761-8310	_____	_____
Dig Safe	1-888-344-7233	_____	_____

**Note: After calling Dig Safe, you must wait 72 business hours before digging can begin.**

DEP — Environmental (Augusta) 287-7688

**City of Westbrook: Dept of Public Services (DPS)**

DPS - Street Division 854-0660

DPS – Demo Sewer & Drain Permit 854-0660

U.S. EPA Region 1— No Phone call required. Just mail copy of State Asbestos Building Demolition Notification to:

State of Maine  
Department of Environmental Protection  
Lead & Asbestos Hazard Prevention Program  
17 State House Station  
Augusta, Me 04333

**I have contacted all of the necessary companies and departments as indicated above and attached all required documentation.**

Signed: \_\_\_\_\_ Date: \_\_\_\_\_

Owner

Contractor



# City of Westbrook

## DEPARTMENT OF PUBLIC SERVICES & ENGINEERING

2 York Street

Westbrook, Maine 04092

(207) 854-0660

Fax: 1-866-559-0642

### Demolition Sewer and Drain Permit

Name of property owner where work is being performed \_\_\_\_\_

Address \_\_\_\_\_

Telephone # \_\_\_\_\_ Email \_\_\_\_\_

Proposed Starting Date \_\_\_\_\_

Proposed Completion Date \_\_\_\_\_

Purpose of Demolition \_\_\_\_\_

Building:    Single Family   
                  Multi-Family   
                  Commercial

#### Reuse of existing connection:

If the applicant wishes to reuse the existing roof/foundation drain, the pipe must be videoed to show that the existing service does not connect to the sewer drain and is in good working condition. A copy the video must be provided to Public Services for approval.

If applicant wishes to reuse existing sewer lateral, the pipe must be videoed to show that the existing service is in good working condition and will also require a video for approval.

#### Sealed existing connection:

If the applicant does not wish to reuse the existing connection, all pipes leading towards the City right-of-way will need to be sealed up to the City main or removed and verified by City of Westbrook Sewer Division personnel.

Any work in the City right-of-way requires a Street Excavation Permit. Reference our GIS site for widths\*.

Public Services Sewer Division can be reached at 854-0660 for inspection of sealed and/or reused pipes and **need at least 24 hours before notification.**

Applicant's Signature \_\_\_\_\_ Date \_\_\_\_\_

(Only one signature required)

Approved    City Engineer \_\_\_\_\_ Date \_\_\_\_\_

Disapproved    Wastewater Manager \_\_\_\_\_ Date \_\_\_\_\_

Disapproved    Wastewater Supervisor \_\_\_\_\_ Date \_\_\_\_\_

\*City of Westbrook's GIS site can be found at westbrookmaine.com

# Maine Department of Environmental Protection

## **What is asbestos?**

Asbestos is a general term for several kinds of natural mineral fibers that have been used to strengthen and fireproof materials for nearly 4,000 years. The fibers are recovered from asbestos ore mined primarily in Canada, Russia, and South Africa. In addition to being good insulators, asbestos fibers are strong, flexible, fireproof, and very resistant to chemical attack.

## **What products contain asbestos?**

Asbestos is found in a wide a variety of products. It has been used to manufacture nearly 3,500 products such as pipe insulation, boiler covering, sprayed-on acoustical plaster, vinyl floor products, rigid siding, cement pipe, gaskets, paints, paper, textiles, and friction materials like disc brakes. Buildings constructed before 1980 are very likely to contain some asbestos products.

## **Is asbestos a health or environmental problem?**

The presence of asbestos in such a wide variety of consumer products means that most Americans have been exposed, over time, to this mineral to one degree or another.

For the vast majority of Americans who have never worked with asbestos, the exposure received in their lifetime should have no significant health effects. However, for those exposed to large amounts of asbestos for significant periods of time, there may be serious health consequences.

Prolonged high exposure to asbestos fibers has been shown to cause asbestosis (lung scarring), lung cancer, mesothelioma, and several internal cancers such as cancers of the stomach and larynx. People who have been exposed to asbestos who also smoke have a much greater chance of disease than nonsmokers.

## **Is all asbestos potentially dangerous?**

Asbestos products are potentially dangerous if they release asbestos fibers to the air where the fibers can enter the body through the lungs.

Friable asbestos, such as pipe and boiler covering and spray-on insulation, is the asbestos of primary concern. It easily releases asbestos fibers into the air when crushed, handled or disturbed. Asbestos that is in good condition or in a form that does not easily release fibers is much less of a hazard. This means that well-maintained asbestos or asbestos tightly bound into materials like vinyl or cement is much less likely to release asbestos fibers.

## **What are the laws regarding asbestos?**

In Maine, the asbestos regulations apply to any work that impacts greater than 3 square feet or 3 linear feet of asbestos. The Maine "Asbestos Management Regulations" require that the Department be notified prior to removal or repair of asbestos, that companies performing inspection, monitoring, design, training, asbestos analysis or abatement be licensed with the Department, and that certain work practices be followed to protect employees and the public. Also, individuals working for the licensed companies must be trained and certified with the Department.

Engineering controls, such as polyethylene "containments", negative pressure ventilation, and wet methods, are basic requirements in the asbestos regulations of both the Maine DEP and the U.S. Occupational Safety and Health Administration (OSHA). Engineering controls minimize the potential for asbestos fiber release in and out of the asbestos work area. The importance of utilizing proper engineering controls on an asbestos project cannot be overemphasized.

Maximum allowable employee exposures are regulated by OSHA and personal protective equipment (suits, respirators, etc.) and hygiene standards are prescribed. Protective equipment is to be used only in conjunction with engineering controls and not as a "stand-alone" defense against inhalation of asbestos fibers.

## Who regulates asbestos?

### Several state and federal agencies regulate asbestos in Maine including:

Maine Department of Environmental Protection (DEP): Primary asbestos contact in Maine. Responsibilities include regulating licensing, notification, training, storage, transportation, disposal and work practices for removal, inspection, design, monitoring, and analysis of asbestos. Telephone number: (207) 287-7751.

Federal Environmental Protection Agency (EPA). Regulations include the Asbestos-Containing Materials in Schools Rule (AHERA - 40 CFR Part 763), the National Emissions Standards for Hazardous Air Pollutants (NESHAP - 40 CFR Part 61), and the Worker Protection Rule (Subpart G to 40 CFR Part 763). The Maine DEP is delegated to implement the AHERA and NESHAP rules in Maine. EPA telephone numbers are available from the DEP.

- Federal OSHA: responsibilities include regulating employee exposure to asbestos in the workplace through the asbestos construction and industry standards (29 CFR Parts 1926 and 1910). Telephone number: (207) 780-3178.

#### Asbestos Inspections Required Prior to Demolitions and Renovations

In Maine, improper demolition activities may be the greatest single source of asbestos exposure to the general public and to trades people working on the project. Prior to demolition or renovation of a building, the owner must ensure that the work will not disturb more than 3 square feet or 3 linear feet of asbestos-containing material (ACM). Owners of buildings, other than residential buildings with less than 5 units, must have a DEP-licensed Asbestos Consultant inspect the building (or area) for asbestos. Residential buildings with 2-5 units can be surveyed for likely asbestos-containing materials by knowledgeable non-licensed people (e.g. building inspectors and CEO's who have asbestos-awareness training); any materials likely to contain asbestos must be tested by a DEP-certified inspector or assumed to be ACM.

If ACM is identified in a building that will be demolished, or any building materials are assumed to be ACM, these materials must be removed by a DEP-licensed Asbestos Abatement Contractor before the demolition. Similarly, if any ACM is identified or assumed in areas of a building that will undergo renovation, the ACM must be removed by a DEP-licensed Asbestos Abatement Contractor before the renovation occurs. Intact asbestos-containing flooring and roofing may be left in place during demolition of a building if the demolition is performed by a DEP-licensed Asbestos Abatement Contractor using large equipment in accordance with the Maine "Asbestos Management Regulations".

### Demolition Notification

State and federal regulations require that building owners notify the DEP at least 5 working days prior to demolition of a building (other than single-family residences). This notification is required **even if no asbestos is identified in the building**. Forms are available from DEP and your local code enforcement office.

**Please note:** OSHA regulates asbestos anytime an employer/employee relationship exists. OSHA worker protection rules exist and must be followed for abatement activities. Contact the local OSHA office with questions.

### What if I have additional questions about asbestos?

The DEP regulates most asbestos activities in Maine and acts as an asbestos information clearinghouse. For more information about asbestos, contact the Asbestos Hazard Prevention Program in the Bureau of Remediation & Waste Management at (207) 287-7751 or visit the web site at [www.maine.gov/dep/wastelabestosis/index.html](http://www.maine.gov/dep/wastelabestosis/index.html)

Excerpt from: Maine Department of Environmental Protection, Maine Solid Waste Management Rules, Chapter 425: Asbestos Management Regulations

For full text of Waste Management Rules, visit: <http://www.maine.gov/dep/wasteirules/index.html>

## Pre-Abatement Requirements

**A. Renovation and Demolition Inspections.** Prior to conducting a renovation or demolition activity that impacts any building material likely to contain asbestos (such as those used in roofing, flooring, siding, ceiling, and wall systems) or any component likely to contain asbestos (such as heating, ventilation, air conditioning, and plumbing systems), the owner or operator must have an inspection conducted for the presence of asbestos-containing materials. In lieu of inspection, the owner or operator may presume that building materials and components contain asbestos that requires that these materials be abated in accordance with these rules.

A DEP-certified Asbestos Inspector must perform the inspection. The inspection must identify all asbestos-containing materials that could be impacted during the renovation or demolition activity, must be completed prior to submission of notification to the Department, must be in writing, and must be on-site and made immediately available to the Department upon request.

Residential dwellings constructed before 1981 that consist of two (2) to four (4) units must be evaluated for building materials and components that are likely to contain asbestos. This evaluation may be performed by a DEP-certified Asbestos Inspector or by a person familiar with asbestos-containing building materials. If building materials and/or components likely to contain asbestos are found, these must be removed in accordance with these regulations prior to demolition except as allowed in section 7(B) of this rule or must be tested by a DEP-certified Asbestos Inspector to demonstrate that they are not ACM.

Single family residences, and residences constructed after 1980 that consist of two (2) to four (4) units, are exempt from the inspection provisions of this section.

Specific building materials that do not require inspection, sampling, and analysis for asbestos include: wood; fiberglass, glass, plastic, metal, laminates, foam, rubber and gypsum board when joint compound was used only as a filler and not as a layered component, and intact caulking and glazings. Also, building materials do not need to be inspected when written documents exist confirming that no asbestos was used in the materials that will be impacted, or that the materials were previously inspected by a DEP-certified Asbestos Inspector and affirmatively determined through sampling and analysis to not be ACM.

Note: To maintain compliance with Maine law, if more than 3 square feet or 3 linear feet of ACM is present, this ACM must be removed prior to the demolition, except that intact packing, gaskets, roofing, and flooring may be left in place when the demolition is performed by large equipment in accordance with these rules. Homeowners are encouraged to conduct a walkthrough of their single-family homes to identify suspect asbestos-containing materials, such as thermal system insulation, ceiling tile, exterior cementitious siding, rigid panels, and flooring, and hire an asbestos-consultant or asbestos abatement contractor if suspect materials are observed. The Department can provide, upon request, more information regarding common asbestos-containing materials in buildings.

**Asbestos Building  
Demolition  
Notification**

State of Maine  
Department of Environmental Protection  
Lead & Asbestos Hazard Prevention Program  
17 State House Station, Augusta, ME 04333  
TEL (207) 287-2651 FAX (207) 287-6220

**FORM  
D**

Page 1 of 2  
2015

**Notice**

Prior to demolition, building owners must determine if there is any asbestos-containing material(s) (ACM) in the building. An "asbestos inspection" by a MDEP-licensed Asbestos Consultant is required for all buildings regardless of construction date, except single-family homes and residential buildings with 2-4 units built after 1980. In lieu of an asbestos inspection, pre-1981 residential buildings with 2-4 units can be surveyed to identify possible ACM by someone knowledgeable about ACM, such as a code enforcement officer or building inspector.

If your project *involves* the demolition of a single family residence or a residential building with less than 5 units, please answer the following questions to determine whether you need to *have* your inspection performed by a MDEP-licensed Asbestos Consultant:

Does this demolition/renovation project *involve* more than ONE residential building at the same site with the same owner? D Yes D No

Is this building currently being used, or has it EVER been used, as a commercial, government, daycare, office, church, charitable or other non-profit place of business? D Yes D No

Is this building to be demolished as part of a highway or road-widening project? D Yes D No

Is this building part of a building cooperative, apartment or condo building? D Yes D No

Is this building used for military housing? D Yes D No

Have other residences or non-residential buildings at this site been scheduled to be demolished now, or in the future, as part of a larger project? D Yes D No

Is more than ONE building to be lifted from its foundation and relocated? D Yes D No

Will this building be intentionally burned for the purpose of demolition or fire department training? D Yes D No

If you answer "no" to all the questions above, your building can be inspected by a knowledgeable non-licensed person as applicable.

Any "yes" answers to the above questions requires an inspection by a MDEP-licensed Asbestos Consultant.

**Important Notice**

Before you can demolish any building, including single-family residences, all asbestos materials must be removed from the building. The *removal* of those materials must be done by a MDEP-licensed Asbestos Abatement Contractor, except single-family homeowners may *remove* some asbestos under certain circumstances (Contact MDEP for more information).

With the exception of a single family home, building owners are required to submit the Asbestos Building Demolition Notification to the MDEP at least *five* (5) working days prior to the demolition EVEN IF NO ASBESTOS is present.

**Asbestos Building  
Demolition  
Notification**

State of Maine  
Department of Environmental Protection  
Lead & Asbestos Hazard Prevention Program  
17 State House Station, Augusta, ME 04333  
TEL (207) 287-2651 FAX (207) 287-6220

**FORM  
D**  
Page 2 of 2  
2015

Inspection/Survey Results:

Were asbestos-containing building materials identified or presumed positive? D Yes    D No

If Yes, is the removal of ACM subject to MDEP asbestos regulations? D Yes    D No

If No, explain WHY NOT: \_\_\_\_\_

property address:	building description: D pre-1981 residential with 2-4 units D post-1980 residential with 2-4 units D other:
asbestos survey/inspection performed by: (name & address)	asbestos abatement contractor
telephone:	telephone:
property owner: (name & address)	demolition contractor: (name & address)
telephone:	telephone:
demolition start date:	demolition end date:

Whenever more than 3 square feet or 3 linear feet of ACM is identified, the ACM must be abated in accordance with the Maine Asbestos Management Regulations by a DEP-licensed Asbestos Abatement Contractor. This includes materials presumed to be ACM. Check [www.maine.gov/dep/rwm/asbestos/index.htm](http://www.maine.gov/dep/rwm/asbestos/index.htm) for a listing of asbestos contractors.

Prior to issuing a local demolition permit, the MDEP requests that municipalities have applicants for municipal demolition permits complete this form and fax it to the MDEP at 207-287-6220. Municipalities should not issue local demolition permits if the required asbestos inspection or survey has not been performed and identified ACM removed.

*This demolition notification does not take the place of the Asbestos Project Notification if applicable*

I CERTIFY THAT THE ABOVE INFORMATION IS CORRECT

Print Name: Owner/Agent

Title

Signature

Telephone #

FAX#

Date



# City of Westbrook

## DEMOLITION APPLICATION

Date Received: \_\_\_\_\_

### Type of Application

Residential     Commercial     Demolition     Sign     Village Review Overlay

### Project Information

Property Address: \_\_\_\_\_ Tax Map: \_\_\_\_\_ Lot: \_\_\_\_\_

Description of Project: \_\_\_\_\_

\_\_\_\_\_

Estimated Cost of Construction/Demolition: \$ \_\_\_\_\_  Floodplain     Shoreland Zone

Garage     Addition     Renovation     Dormer     Shed     Accessory Unit

Swimming Pool     Deck     Other     After the Fact – Compliance letter from licensed professional

### Property Owner Information

### Contractor Information

Property Owner: \_\_\_\_\_ Contractor: \_\_\_\_\_

Mailing Address: \_\_\_\_\_ Mailing Address: \_\_\_\_\_

Office Phone: \_\_\_\_\_ Office Phone: \_\_\_\_\_

Cell Phone: \_\_\_\_\_ Cell Phone: \_\_\_\_\_

Email: \_\_\_\_\_ Email: \_\_\_\_\_

### ATTENTION

Periodic Inspections are required. See the Inspection Schedule Form. Failure to schedule inspections and/or receive final approval by the Inspector will constitute Occupancy without a Certificate. Fines will be imposed at a rate not less than One Hundred (\$100.00) per day, nor more than Twenty-Five Hundred Dollars (\$2,500.00) per day.

I hereby acknowledge that I have read this application and state that the above is correct and agree to comply with all City Ordinances and State laws regulating building construction. Work will not begin until building permit card is posted.

**Project proposed to have 1 acre or more of site disturbance may need to apply for Maine Construction General Permit and shall comply with the requirements of DEP Chapter 500 Stormwater Regulations, as they apply.**

Signature of Applicant: \_\_\_\_\_ Date: \_\_\_\_\_

Owner     Contractor     Applicant

2 YORK STREET, WESTBROOK MAINE 04092  
PHONE: 207-854-0638 FAX: 1-866-559-0642  
LGAIN@WESTBROOK.ME.US  
WWW.WESTBROOK.COM



**Foundation**

1. Front Setbacks: \_\_\_\_\_ Rear Setbacks: \_\_\_\_\_ Side(s) Setbacks: \_\_\_\_\_
2. Footing Size: \_\_\_\_\_
3. Foundation Size: \_\_\_\_\_
4. Other: \_\_\_\_\_

**Floor**

1. Sills Size: \_\_\_\_\_ Sills must be anchored.
2. Girder Size: \_\_\_\_\_
3. Lally Column Spacing: \_\_\_\_\_ Size: \_\_\_\_\_
4. Joists Size: \_\_\_\_\_ Spacing 16" O.C.
5. Bridging Type: \_\_\_\_\_ Size: \_\_\_\_\_
6. Floor Sheathing Type: \_\_\_\_\_ Size: \_\_\_\_\_
7. Insulation Type: \_\_\_\_\_ R Value: \_\_\_\_\_
8. Other Material: \_\_\_\_\_

**Exterior Walls**

1. Studding Size: \_\_\_\_\_ Spacing: \_\_\_\_\_
2. Header Sizes: \_\_\_\_\_ Span(s): \_\_\_\_\_
3. Bracing: Yes: \_\_\_\_\_ No: \_\_\_\_\_
4. Insulation Type: \_\_\_\_\_ R Value: \_\_\_\_\_
5. Sheathing Type: \_\_\_\_\_ Size: \_\_\_\_\_
6. Siding Type: \_\_\_\_\_ Weather Exposure: \_\_\_\_\_

**Interior Walls**

1. Studding Size: \_\_\_\_\_ Spacing: \_\_\_\_\_
2. Header Sizes: \_\_\_\_\_ Span(s): \_\_\_\_\_
3. Wall Covering Type: \_\_\_\_\_
4. Fire Wall if Required: \_\_\_\_\_
5. Other Materials: \_\_\_\_\_

**Ceiling**

1. Ceiling Joists Size: \_\_\_\_\_
2. Ceiling Strapping Size: \_\_\_\_\_ Spacing: \_\_\_\_\_
3. Type Ceilings: \_\_\_\_\_
4. Insulation Type: \_\_\_\_\_ R Value: \_\_\_\_\_
5. Ceiling Height: \_\_\_\_\_

**Roof**

1. Truss /Rafter Size: \_\_\_\_\_ Span: \_\_\_\_\_
2. Sheathing Type: \_\_\_\_\_ Size: \_\_\_\_\_
3. Roof Covering Type: \_\_\_\_\_

**ADMINSTRATIVE SECTION CODE USE ONLY**

Permit Conditions: \_\_\_\_\_

Signature of Code Enforcement Officer: \_\_\_\_\_ Date: \_\_\_\_\_